




## Dimensions

Product dimensions (mm)	31,5 x 3000 x 32,5
-------------------------	--------------------

## Scheme

Scheme



## Product

IP	20
Electrical class insulation	Class 1
Electrical feeding	110..240V, 50/60Hz
Colour	Black

## Control gear

## Accessories

2400/04	End cover.
---------	------------

## Picture



## Scheme



2401D/01/04

DALI Left feeder

## Surface DALI PULSE track L: 3000mm

## DESCRIPTION

Electrified DALI PULSE track of 3 m. of the TROLL three-phase family. Designed for wall or ceiling surface mounted as well as hanging. Body made of extruded aluminium setting copper wires imbedded in PVC profile and finished in black.

Item code	2420D/300/04
-----------	--------------

Product type	IN
--------------	----

Category	Tracklights
----------	-------------

Family	Tracks
--------	--------

Subfamily	Trifásico
-----------	-----------

Pictograms	
------------	--



Picture



Scheme



2401D/02/04

DALI Right feeder

Picture



Scheme



2402D/04


DALI Flexible connector.

Picture



---

Scheme



---

2403D/04

DALI continuity connector.

---

Picture



---

Scheme



---

2403D/10/04

Continuity connector with DALI connection.


---

Picture



---

Scheme



---

2407D/01/04

DALI connector "T" Left with possibility of connection.

Picture




2407D/02/04

DALI "T" connector Right with possibility of connection.

Picture



Scheme



2407D/03/04

DALI "T" connector Right with possibility of connection.

Picture



2407D/04/04

DALI connector "T" Left with possibility of connection.

Picture



2408D/01/04

DALI connector "L" Left with possibility of connection.

Picture



2408D/02/04

DALI "L" connector Right with possibility of connection.

Picture



Scheme



2409D/04

DALI "+" connector with possibility of connection.

Picture



Scheme



2413/00

Fastening directly to the ceiling.

Picture



Scheme



2417D/04

DALI adapter with cable

Picture



Scheme



2418/33

Support look.

Picture



Scheme



2431/00

Suspension clamp.

Picture



Scheme



2432/00

Reinforced suspension clamp.

Picture



Scheme



L=182 mm


2434/04

Ceiling rose fastening.

Picture



Scheme



2435/00

M6 threaded stem.

Picture



Scheme



L=2000mm

2438/00

M6 nut.

Picture





---

Scheme



M6

---

2439/00

M6 adjustment sleeve.

Picture



---

Scheme



---

2440/00

Cable suspension.

Picture



---

Scheme



L=1500mm

---

2441/00

Bending tool.

Picture



Scheme

